

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-13-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. CIVIC USE LOT

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 10' ±

Owner TOWN OF CUMBERLAND

Length of Service Pipe Laid 21'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-13-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. CIVIC USE LOT

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 10' ±

Owner TOWN OF CUMBERLAND

Length of Service Pipe Laid 21'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-13-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. CIVIC USE LOT

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 10' ±

Owner TOWN OF CUMBERLAND

Length of Service Pipe Laid 21'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-13-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. CIVIC USE LOT

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 10' ±

Owner TOWN OF CUMBERLAND

Length of Service Pipe Laid 21'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

STORM DRAIN  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. CIVIC USE PARCEL

Connection at <sup>Storm Drain</sup> Sewer Main T snap-in fitting

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 6' ±

Owner COMMON AT CUMBERLAND

Length of Service Pipe Laid 23'


SUBDIVISION

Measured, Located By SCOTT CONGER &

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks: Because the storm drain stub is located directly under the property line pin, an easement will be required to access this storm drain stub, and the stub should be extended so the property pin will not be disturbed.

STORM DRAIN  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. CIVIC USE PARCEL

Connection at ~~Sewer~~ Main <sup>Storm Drain</sup> T snap-in fitting

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 6' ±

Owner COMMON AT CUMBERLAND

Length of Service Pipe Laid 23'


SUBDIVISION

Measured, Located By SCOTT COWGER &

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks: Because the storm drain stub is located directly under the property line pin, an easement will be required to access this storm drain stub, and the stub should be extended so the property pin will not be disturbed.

~~SANITARY SEWER~~ STORM DRAIN SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. CIVIC USE PARCEL

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 6'±

Owner COMMON AT CUMBERLAND

Length of Service Pipe Laid 23'


SUBDIVISION

Measured, Located By SCOTT CONGER &

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks: Because the storm drain stub is located directly under the property line pin, an easement will be required to access this storm drain stub, and the stub should be extended so the property pin will not be disturbed.

STORM DRAIN  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. CIVIC USE PARCEL

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant TOWN OF CUMBERLAND

Depth, End of Service Pipe 6' ±

Owner COMMON AT CUMBERLAND

Length of Service Pipe Laid 23'


SUBDIVISION

Measured, Located By SCOTT CONGER &

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks: Because the storm drain stub is located directly under the property line pin, an easement will be required to access this storm drain stub, and the stub should be extended so the property pin will not be disturbed.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 10

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 9' ±

Owner Adah Ginn,

Length of Service Pipe Laid 21'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 10

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 9' ±

Owner Adah Ginn,

Length of Service Pipe Laid 21'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 10

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 9' ±

Owner Adah Ginn,

Length of Service Pipe Laid 21'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 11

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23.5'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 11

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23.5'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 11

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23.5'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 11

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23.5'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 11

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23.5'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

~~STORM DRAIN~~  
~~GANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-26-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 12

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 2.5'

Owner ADAH GINN

Length of Service Pipe Laid 15'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks:

STORM DRAIN  
~~CANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-26-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT #12

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 2.5'

Owner ADAH GINN

Length of Service Pipe Laid 15'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks:

STORM DRAIN  
~~CANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-26-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT #12

Connection at <sup>Storm Drain</sup>~~Sewer~~ Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 2.5'

Owner ADAH GINN

Length of Service Pipe Laid 15'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER &

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks:

STORM DRAIN  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-26-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 12

Connection at ~~Sewer~~ Main Storm Drain  
T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 2.5'

Owner ADAH GINN

Length of Service Pipe Laid 15'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks:

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91 (per Rick Storey)

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #12

Connection at Sewer Main 6"x8"x8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23'


Common at Cumberland

Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER (Rick Storey)

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91 (per Rick Storey)

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #12

Connection at Sewer Main 6"x8"x8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23'


Common at Cumberland

Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER (Rick Storey)

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91 (per Rick Storey)

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #12

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER (Rick Storey)

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91 (per Rick Storey)

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #12

Connection at Sewer Main 6"x8"x8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 23'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER (Rick Storey)

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 13

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 22.5'


Common at Cumberland

Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 13

Connection at Sewer Main 6"x8"x8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 22.5'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 13

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5.5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 22.5'


Common at Cumberland

Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

~~CANITARY SEWER~~  
**STORM DRAIN SERVICE LOCATION**

Town, City of: CUMBERLAND

Date Installed 7-29-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 13

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 3.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 27'

COMMON AT CUMBERLAND


Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks:

STORM DRAIN  
~~CANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-29-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 13

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 3.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 27'

COMMON AT CUMBERLAND


Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks:

STORM DRAIN  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-29-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 13

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 3.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 27'

COMMON AT CUMBERLAND


Measured, Located By SCOTT COWGER \$

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks:

~~SANITARY SEWER~~  
**STORM DRAIN SERVICE LOCATION**

Town, City of: CUMBERLAND

Date Installed 7-29-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 14

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 3.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 13.5'

COMMON AT CUMBERLAND


Measured, Located By SCOTT COWGER &

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks:

STORM DRAIN  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-29-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 14

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 3.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 13.5'

COMMON AT CUMBERLAND


Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks:

STORM DRAIN  
~~CANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-29-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 14

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 3.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 13.5'

COMMON AT CUMBERLAND


Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks:

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #14

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn

Length of Service Pipe Laid 23'


Common at Cumberland

Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks:

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #14

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn

Length of Service Pipe Laid 23'


Common at Cumberland

Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-15-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #14

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn

Length of Service Pipe Laid 23'


Common at Cumberland

Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks:

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #15

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 29'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

Sewer service crosses over 8" water main.

2" thick by 2' wide styrofoam insulation placed over entire length.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #15

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 29'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

Sewer service crosses over 8" water main.

2" thick by 2' wide styrofoam insulation placed over entire length.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #15

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 29'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

Sewer service crosses over 8" water main.

2" thick by 2' wide styrofoam insulation placed over entire length.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-13-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #16

Connection at Sewer Main 6"x8"x8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 9' ±

Owner Adah Ginn,

Length of Service Pipe Laid 26'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below.

Measurements based on identification of stakes in the field. Due to proximity of storm & sewer stubs, the proper connections should be verified (i.e. storm vs. sewer) at the time of connection.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-13-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 16

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 9' ±

Owner Adah Ginn,

Length of Service Pipe Laid 26'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below.

Measurements based on identification of stakes in the field. Due to proximity of storm & sewer stubs, the proper connections should be verified (i.e. storm vs. sewer) at the time of connection.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 5-13-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 16

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 9' ±

Owner Adah Ginn,

Length of Service Pipe Laid 26'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below.

Measurements based on identification of stakes in the field. Due to proximity of storm & sewer stubs, the proper connections should be verified (i.e. storm vs. sewer) at the time of connection.

STORM DRAIN  
~~CANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 16

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T Snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6' ±

Owner ADAH GINN

Length of Service Pipe Laid 19'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER &

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks: Measurements based on identification of stakes in the field.  
Due to proximity of storm & sewer stubs, the proper connections should be verified (i.e. storm vs. sewer) at the time of connection.

STORM DRAIN  
~~GANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 16

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T Snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6' ±

Owner ADAH GINN

Length of Service Pipe Laid 19'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks: Measurements based on identification of stakes in the field.  
Due to proximity of storm & sewer stubs, the proper connections should be verified (i.e. storm vs. sewer) at the time of connection.

STORM DRAIN  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT # 16

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 6' ±

Owner ADAH GINN

Length of Service Pipe Laid 19'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER &

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks: Measurements based on identification of stakes in the field.  
Due to proximity of storm & sewer stubs, the proper connections should be verified (i.e. storm vs. sewer) at the time of connection.

SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 17

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 33'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

Service crosses over water main,

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #17

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 33'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

Service crosses over water main.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 17

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 33'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6\"

Service crosses over water main.

SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT # 17

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 5' ±

Owner Adah Ginn,

Length of Service Pipe Laid 33'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

Service crosses over water main.

~~SANITARY SEWER~~ **STORM DRAIN** SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT #18

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 4.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 27'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

~~STORM DRAIN~~  
~~SANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT #18

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 4.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 27'


COMMON AT CUMBERLAND

Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.



Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STORM DRAIN  
~~CANITARY SEWER~~ SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-25-91

Street OAK ST.

Type, Size of Service Pipe 6" PVC SDR-35

Dwelling No. LOT #18

Connection at ~~Sewer~~ <sup>Storm Drain</sup> Main T snap-in fitting

Occupant \_\_\_\_\_

Depth, End of Service Pipe 4.5' ±

Owner ADAH GINN

Length of Service Pipe Laid 27'

COMMON AT CUMBERLAND


Measured, Located By SCOTT COWGER, E

SUBDIVISION

A.H. GROVER

Project Contractor A.H. GROVER, INC.

LOCATION DIAGRAM



Remarks:

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #18

Connection at Sewer Main 6"x8"x8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 8' ±

Owner Adah Ginn

Length of Service Pipe Laid 32'

Common at Cumberland


Measured, Located By SCOTT COWGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #18

Connection at Sewer Main 6"x8"x8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 8' ±

Owner Adah Ginn

Length of Service Pipe Laid 32'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

## LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.

# SANITARY SEWER SERVICE LOCATION

Town, City of: CUMBERLAND

Date Installed 7-22-91

Street OAK STREET

Type, Size of Service Pipe 6" PVC, SDR-35

Dwelling No. LOT #18

Connection at Sewer Main 6" x 8" x 8" wye & 22 1/2° bend

Occupant \_\_\_\_\_

Depth, End of Service Pipe 8' ±

Owner Adah Ginn

Length of Service Pipe Laid 32'

Common at Cumberland


Measured, Located By SCOTT CONGER &

Subdivision

A.H. GROVER

Project Contractor A.H. GROVER INC.

LOCATION DIAGRAM



Remarks: Pipe bedded in crushed stone 6" above & below pipe.